



Single Slider Insert

- Best “U” Value in the Industry
- Exterior tabs easily secure the window into the steel buck from the interior of the home and ensures tight fit
- Dual cam type locking system. (Picture Window has a dual lock system to prevent forced entry)
- Main frame design provides superior water drainage
- Multi-chambered frame for structural strength and energy efficiency
- Operating sash with lift-out feature provides for easy cleaning
- Energy savings 5/8” insulated glass (standard)
- Fusion welded main frame and sash provides maximum rigidity, durability, and watertight corners



INSULATED GLAZING CHOICES:
Clear
Low E & Argon Filled

CUSTOM ORDER OPTIONS:
Obscure Glass
Tempered Glass
i89 LoE Double Glazed & Argon Filled Glass



CAST IN PLACE STEEL – WINDOWS

VINYL PRO 4™

**Single Slider Insert
Picture Window**



PART NUMBERS		CALL OUT SIZE	OVERALL DIMENSIONS	SASH DIMENSIONS	DESCRIPTION	SHIP WT. (LBS)	
LOW E ARGON	CLEAR						
VINYL PRO 4 - WHITE							
87041	87001	2630	30 1/4 X 36	14 3/16 X 33 3/4	TWO LITE SLIDER	30	
87043	87003	3030	36 1/4 X 36	17 3/16 X 33 3/4	TWO LITE SLIDER	35	
87044	87004	3036	36 1/4 X 42	17 3/16 X 39 3/4	TWO LITE SLIDER	38	
EGRESS	87047	87007	4040	48 1/4 X 48	23 3/16 X 45 3/4	TWO LITE SLIDER	60
	87048	87008	4050	48 1/4 X 60	23 3/16 X 57 3/4	TWO LITE SLIDER	75
	87049	87009	5040	60 1/4 X 48	29 3/16 X 45 3/4	TWO LITE SLIDER	75



Single Slider Insert Bucko Frame

- Tilt-in design to fit the Monarch Bucko Frame Systems.
- Main frame design provides superior water drainage.
- Multi-chambered frame for structural strength and energy efficiency.
- Operating sash with lift-out feature provides for easy cleaning.
- Energy saving 5/8" insulated glass. (standard)
- Heat welded main frame and sash provides maximum rigidity, durability, and watertight corners.



INSULATED GLAZING CHOICES:
Clear
Low E & Argon Filled

Custom order options available under Custom & Specialized tab.

CUSTOM ORDER OPTIONS:
Obscure Glass
Tempered Glass
i89 LoE Double Glazed & Argon Filled Glass

PART NUMBERS		CALL OUT SIZE	OVERALL DIMENSIONS	SASH DIMENSIONS	DESCRIPTION	SHIP WT. (LBS)
LOW E ARGON	CLEAR					
VINYL PRO - WHITE						
87220	87200	1512	30 7/8 X 12 1/8	15 X 12	TWO LITE SLIDER	10
87221	87201	1516	30 7/8 X 16 1/8	15 X 16	TWO LITE SLIDER	13
87222	87202	1520	30 7/8 X 20 1/8	15 X 20	TWO LITE SLIDER	15
VINYL PRO - WHITE (NO REVEAL)						
87312	87199	1512	30 7/8 X 12	15 X 12	TWO LITE SLIDER	10
87317	87210	1516	30 7/8 X 16	15 X 16	TWO LITE SLIDER	13
87316	87203	1520	30 7/8 X 20	15 X 20	TWO LITE SLIDER	15